

## SAFETY DATA SHEET SPEARMINT OIL

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	SPEARMINT OIL
Product number	30334
CAS number	84696-51-5
EC number	283-656-2

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Concentrated material for manufacturing purposes only.
-----------------	--

#### 1.3. Details of the supplier of the safety data sheet

Supplier	Ancient Wisdom Marketing Ltd Block B, Parkwood Business Park 75 Parkwood Road Sheffield S3 8AL
----------	--

+44 (0) 114 272 9165  
+44 (0) 114 270 6571

Contact person	Regulatory Manager
----------------	--------------------

#### 1.4. Emergency telephone number

Emergency telephone	+44 (0) 114 2729165 Office Hours are 09:00 - 16:30 weekdays only
---------------------	--

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification


Physical hazards	Flam. Liq. 3 - H226
Health hazards	Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304
Environmental hazards	Aquatic Chronic 2 - H411

Classification (67/548/EEC or 1999/45/EC) Xn; R65. Xi; R38. N; R51/53. R10, R43

#### 2.2. Label elements

EC number	283-656-2
-----------	-----------

Pictogram



## SPEARMINT OIL

<b>Signal word</b>	Danger
<b>Hazard statements</b>	H411 Toxic to aquatic life with long lasting effects. H315 Causes skin irritation. H304 May be fatal if swallowed and enters airways. H317 May cause an allergic skin reaction. H226 Flammable liquid and vapour.
<b>Precautionary statements</b>	P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing vapour/spray. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
<b>Contains</b>	CARVONE , LIMONENE, MENTHONE, BETA-CARYOPHYLLENE , PINENES
<b>Supplementary precautionary statements</b>	P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P264 Wash contaminated skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor. P302+P352 IF ON SKIN: Wash with plenty of water. P321 Specific treatment (see medical advice on this label). P331 Do NOT induce vomiting. P332+P313 If skin irritation occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container in accordance with national regulations.

### 2.3. Other hazards

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

<b>CARVONE</b>	<b>60-100%</b>
CAS number: 99-49-0	EC number: 202-759-5
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>
Skin Sens. 1B - H317	R43

## SPEARMINT OIL

<b>LIMONENE</b>		<b>10-30%</b>
CAS number: 138-86-3	EC number: 205-341-0	
M factor (Acute) = 1	M factor (Chronic) = 1	
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>	
Flam. Liq. 3 - H226	Xn; R65. Xi; R38. N; R50/53. R10, R43	
Skin Irrit. 2 - H315		
Skin Sens. 1 - H317		
Asp. Tox. 1 - H304		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		
<b>MENTHONE</b>		<b>1-5%</b>
CAS number: 89-80-5	EC number: 201-941-1	
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>	
Acute Tox. 4 - H302	Xn; R22. Xi; R38. R43, R52/53	
Skin Irrit. 2 - H315		
Skin Sens. 1B - H317		
Aquatic Chronic 3 - H412		
<b>BETA-CARYOPHYLLENE</b>		<b>1-5%</b>
CAS number: 87-44-5	EC number: 201-746-1	
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>	
Asp. Tox. 1 - H304	Xn; R65	
<b>PINENES</b>		<b>1-5%</b>
CAS number: —		
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>	
Flam. Liq. 3 - H226	Xn; R65. Xi; R38. R10, R43	
Skin Irrit. 2 - H315		
Skin Sens. 1 - H317		
Asp. Tox. 1 - H304		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>Inhalation</b>	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention immediately.
<b>Skin contact</b>	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if symptoms are severe or persist after washing.
<b>Eye contact</b>	Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

## SPEARMINT OIL

### 4.2. Most important symptoms and effects, both acute and delayed

**General information**                      Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. See Section 11 for additional information on health hazards.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes for the doctor**                      No specific recommendations.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

**Suitable extinguishing media**        Extinguish with the following media: Foam, carbon dioxide or dry powder.

**Unsuitable extinguishing media**        Water.

### 5.2. Special hazards arising from the substance or mixture

**Specific hazards**                              Toxic gases or vapours.

### 5.3. Advice for firefighters

**Protective actions during firefighting**        Containers close to fire should be removed or cooled with water.

**Special protective equipment for firefighters**        Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions**                      Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage.

### 6.2. Environmental precautions

**Environmental precautions**              Do not discharge into drains or watercourses or onto the ground.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up**                      Keep combustible materials away from spillage. Eliminate all sources of ignition. Provide adequate ventilation. Contain and absorb spillage with sand, earth or other non-combustible material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Wash thoroughly after dealing with a spillage.

### 6.4. Reference to other sections

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions**                              Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with skin, eyes and clothing.

**Advice on general occupational hygiene**        Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions**                              Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep away from heat, sparks and open flame. Protect from freezing and direct sunlight.

## SPEARMINT OIL

### 7.3. Specific end use(s)

#### SECTION 8: Exposure Controls/personal protection

##### 8.1. Control parameters

##### 8.2. Exposure controls

##### Protective equipment



**Appropriate engineering controls**

Provide adequate ventilation.

**Eye/face protection**

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.

**Hand protection**

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.

**Other skin and body protection**

Wear appropriate clothing to prevent any possibility of skin contact. Wear apron or protective clothing in case of contact.

**Hygiene measures**

No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products.

**Respiratory protection**

No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.

**Environmental exposure controls**

Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

#### SECTION 9: Physical and Chemical Properties

##### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Clear Mobile liquid.
<b>Colour</b>	Colourless. to Pale Brownish. Yellow.
<b>Odour</b>	Characteristic.
<b>Flash point</b>	58°C
<b>Relative density</b>	~ 0.931 @ 20°C

##### 9.2. Other information

<b>Refractive index</b>	~ 1.488 @ 20°C
-------------------------	----------------

#### SECTION 10: Stability and reactivity

##### 10.1. Reactivity

##### 10.2. Chemical stability

<b>Stability</b>	Stable at normal ambient temperatures.
------------------	--

##### 10.3. Possibility of hazardous reactions

<b>Possibility of hazardous reactions</b>	Will not polymerise.
---	----------------------

## SPEARMINT OIL

### 10.4. Conditions to avoid

**Conditions to avoid** Avoid heat, flames and other sources of ignition.

### 10.5. Incompatible materials

**Materials to avoid** Strong oxidising agents. Strong acids. Strong alkalis.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity - oral

**ATE oral (mg/kg)** 114,285.71

**Ingestion** May be fatal if swallowed and enters airways.

**Skin contact** Causes skin irritation. May cause sensitisation by skin contact.

#### Toxicological information on ingredients.

#### MENTHONE

#### Acute toxicity - oral

**Acute toxicity oral (LD<sub>50</sub> mg/kg)** 1,600.0

**Species** Rat

**ATE oral (mg/kg)** 1,600.0

## SECTION 12: Ecological Information

**Ecotoxicity** Toxic to aquatic life with long lasting effects.

### 12.1. Toxicity

#### Ecological information on ingredients.

#### LIMONENE

#### Acute aquatic toxicity

**LE(C)<sub>50</sub>** 0.1 < L(E)C<sub>50</sub> ≤ 1

**M factor (Acute)** 1

#### Chronic aquatic toxicity

**M factor (Chronic)** 1

### 12.2. Persistence and degradability

**Persistence and degradability** The product is expected to be biodegradable.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** The product does not contain any substances expected to be bioaccumulating.



## SPEARMINT OIL

### 14.4. Packing group

ADR/RID packing group	III
IMDG packing group	III
ADN packing group	III
ICAO packing group	III

### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



### 14.6. Special precautions for user

EmS	F-E, S-D
ADR transport category	3
Emergency Action Code	3Y
Hazard Identification Number (ADR/RID)	30
Tunnel restriction code	(D/E)

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
Guidance	Workplace Exposure Limits EH40.

### 15.2. Chemical safety assessment

## SECTION 16: Other information

Key literature references and sources for data	European Chemicals Agency, <a href="http://echa.europa.eu/">http://echa.europa.eu/</a>
Issued by	Regulatory Manager
Revision date	22/06/2015
Revision	1



## SPEARMINT OIL

**Risk phrases in full**

R10 Flammable.  
R22 Harmful if swallowed.  
R38 Irritating to skin.  
R43 May cause sensitisation by skin contact.  
R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
R65 Harmful: may cause lung damage if swallowed.

**Hazard statements in full**

H226 Flammable liquid and vapour.  
H302 Harmful if swallowed.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H411 Toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.